IEEE-ISTO Printer Working Group IPP Fax Project IPP Fax Requirements

Working Draft Maturity: Initial



Version 2.0 April 14, 2003

Deleted: March 27

Abstract: This document captures the requirements for IPP Fax, both the transport and the document format. This document assumes that the reader is familiar with IPP 1.1.

This document is available electronically at:

wd-ifxreq10-20030806.doc

A version showing the changes from the previous version is available at:

The latest version of this specification is available at:

ftp://pwg.org/pub/pwg/QUALDOCS/ifxreq10-latest.doc

© 2003, IEEE Industry Standards and Technology Organization. All rights reserved. The IEEE-ISTO is affiliated with the IEEE and the IEEE Standards Association.

Page 1 of 8

Copyright (C) 2003, IEEE ISTO. All rights reserved.

This document may be copied and furnished to others, and derivative works that comment on, or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice, this paragraph and the title of the Document as referenced below are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the IEEE-ISTO and the Printer Working Group, a program of the IEEE-ISTO.

Title: The Printer Working Group Definition of the Standards Development Process

The IEEE-ISTO and the Printer Working Group DISCLAIM ANY AND ALL WARRANTIES, WHETHER EXPRESS OR IMPLIED INCLUDING (WITHOUT LIMITATION) ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

The Printer Working Group, a program of the IEEE-ISTO, reserves the right to make changes to the document without further notice. The document may be updated, replaced or made obsolete by other documents at any time.

The IEEE-ISTO takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights.

The IEEE-ISTO invites any interested party to bring to its attention any copyrights, patents, or patent applications, or other proprietary rights which may cover technology that may be required to implement the contents of this document. The IEEE-ISTO and its programs shall not be responsible for identifying patents for which a license may be required by a document and/or IEEE-ISTO Industry Group Standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention. Inquiries may be submitted to the IEEE-ISTO by e-mail at:

ieee-isto@ieee.org.

The Printer Working Group acknowledges that the IEEE-ISTO (acting itself or through its designees) is, and shall at all times, be the sole entity that may authorize the use of certification marks, trademarks, or other special designations to indicate compliance with these materials.

Use of this document is wholly voluntary. The existence of this document does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to its scope.

About the IEEE-ISTO

The IEEE-ISTO is a not-for-profit corporation offering industry groups an innovative and flexible operational forum and support services. The IEEE-ISTO provides a forum not only to develop standards, but also to facilitate activities that support the implementation and acceptance of standards in the marketplace. The organization is affiliated with the IEEE (http://www.ieee.org/) and the IEEE Standards Association (http://standards.ieee.org/).

For additional information regarding the IEEE-ISTO and its industry programs visit http://www.ieee-isto.org.

About the IEEE-ISTO PWG

The Printer Working Group (or PWG) is a Program of the IEEE Industry Standards and Technology Organization (ISTO) with member organizations including printer manufacturers, print server developers, operating system providers, network operating systems providers, network connectivity vendors, and print management application developers. The group is chartered to make printers and the applications and operating systems supporting them work together better. All references to the PWG in this document implicitly mean "The Printer Working Group, a Program of the IEEE ISTO." In order to meet this objective, the PWG will document the results of their work as open standards that define print related protocols, interfaces, procedures and conventions. Printer manufacturers and vendors of printer related software will benefit from the interoperability provided by voluntary conformance to these standards.

In general, a PWG standard is a specification that is stable, well understood, and is technically competent, has multiple, independent and interoperable implementations with substantial operational experience, and enjoys significant public support.

For additional information regarding the Printer Working Group visit: http://www.pwg.org

Contact information:

IPP Fax Web Page: http://www.pwg.org/qualdocs/ IPP Fax Mailing List: ifx@pwg.org

To subscribe to the IPP Fax mailing list, send the following email:

- 1) send it to majordomo@pwg.org
- 2) leave the subject line blank
- put the following two lines in the message body: subscribe ifx end

Members of the PWG and interested parties are encouraged to join the PWG IPP Fax Mailing List in order to participate in any discussions of clarifications or review of IPP Fax.

GIOSSATY	ე
Protocol Requirements	5
Public access	
Basic requirements	5
Basic rules	
IPP extensions	5
Identity exchange	6
IPP restrictions	
Notifications	6
Logging	6
Document format	
Data Format Requirements	
Image format.	6
Color	
Resolution	
Pages	
Printable area	
Meta-data	
Persistence	

Glossary

Sender – A piece of hardware and / or software that sends IPP fax documents to an IPP Fax receiver Receiver – A piece of hardware and / or software that receives IPP Fax traffic. Sending user – The human that initiates the transmission of an IPP Fax Receiving user – The intended human recipient of an IPP Fax

Protocol Requirements

Public access

An administrator of a IPP Fax Receiver needs to be able to make it publicly available on the Internet (or an intranet) but also needs to be informed of the identity of the sending user and equipment.

Basic requirements

- · Synchronous and timely delivery to the Receiver
- · Uses Internet suit protocols
- Can be private encryption must be supported
- Can be reliable data integrity and server authentication must be supported

Basic rules

- · A receiver is specified by an ippfax: URL
- Data privacy must be supported by the Receiver.
- The receiver must supply strong authentication
- The sender may supply strong authentication; the receiver may require strong authentication of the sender.

IPP extensions

- · A sender must identify a job as being an IPP Fax Job.
- Anonymous access is allowed but the Receiver may be administratively configured to disallow anonymous access.
- · A sender may indicate a notification URI.

Identity exchange

- Senders and receiver have a unique 'identity'.
- · A Sender must be able to discover the Receiver's identity.
- The Receiver must be able to discover the identity of the Sender.
- Sending and receiving users have structured descriptions their identity. This data is machine-readable. It contains name, email, mail, phone, etc.
- The receiver must be able to discover the sending user's identity
- · The sender should specify the receiving users identity.

IPP restrictions

- An IPP Fax Receiver should not allow anonymous users to access job information
- An IPP Fax Receiver should not allow an anonymous user to cancel or modify jobs.
- An IPP Fax Receiver should only allow authenticated operator or administrator to cancel jobs.
- An IPP Fax Receiver should not allow any user to modify jobs.

Notifications

An IPP Fax receiver must support notifications for authenticated senders.

Logging

- A sender must log its IPP fax transactions
- A receiver must log its IPP Fax transactions
- A receiver must mark the sender identity on at least the first page of an IPP Fax document

Document format

A receiver must support at least one IPPFax required document format.

Data Format Requirements

I propose the name Portable Document Format – Image Streamable (PDF/is) for the resulting specification since this covers more than just the data format and the new name will allow manufacturers to indicate to customers support for this feature as a whole.

Image format

- PDF/is supports raster image data.
 - © 2003, IEEE Industry Standards and Technology Organization. All rights reserved. The IEEE-ISTO is affiliated with the IEEE and the IEEE Standards Association.

Page 6 of 8

- · All image formats, and compressions are mandatory for a receiver to support.
- PDF/is supports JPEG, JBIG2, and CCITT Group 4 image compression types.
- The set of compressions supported is extensible in future versions of PDF/is.
- Support for vector data may be added in a future version of PDF/is.
- A PDF/is document must be a valid subset of PDF 1.X (TBD) and be fully compatible with Adobe's Acrobat Reader version X (TBD).
- The format must be streamable on a page by page basis. That is, the receiver can begin rendering
 a page once the sender has sent all data for that page. In addition, the sender can begin sending a
 page's data before other pages in the document are available to the sender.
- The format must allow for digital signatures which will be optional for both the sender and the receiver
- The format must allow for optional searchable/extractable text. The text must only be displayed as part of an image and not as a stand-alone text object.
- The format must allow for an optional identifiable "Originator-ID" image.
- The format should be suitable for archiving.
- The format should be compatible with PDF/A (www.aiim.org).

Color

- · PDF/is support color, grayscale, and monochrome images.
- · All images must be in the sRGB colorspace.

Resolution

- Any image resolution at or above 300 dpi is supported.
- The horizontal and vertical resolutions must be the same (square aspect ratio).

Pages

- PDF/is supports multi-page documents.
- The data is presented within a PDF/is document in its 'natural' order. Normally, a receiver does not need to buffer more than one page of data to be able to process the page.
- An individual page is presented from top-left to bottom-right. A receiver therefore does not need to buffer a whole page.
- A page may be presented as one or more images (banding is permitted).
- · Page orientation is determined by the sender
- Pages are independent with regards to color, resolution and image format.
- The format must support duplexed documents.
- · The format must support recovery from damaged files.

Printable area

- Page positioning and scaling of images is explicitly specified in the format.
- The PDF/is document specifies the original document media size for each page.

Meta-data

- PDF/is is capable of carrying metadata as well as images.
- The set of metadata attributes is extensible.

Persistence

• A PDF/is document can be stored as a PDF file.

Revision	Date	Author	Notes
1	10/16/2000	Paul Moore, Peerless Systems Networking	Initial
3	7/15/2003	Gail Songer, Peerless	Clean-up. Modify "Public Access" and "Basic Requirements"
4	7/23/2003	Gail Songer, Peerless	Clean-up. Remove references to IPPGet and PDF/is and replaced with generic statements. Remove section on Gateways.
5	8/06/2003	Gail Songer, Peerless	Convert document to PWG standard. Merge the protocol requirements spec and the data format requirements spec.